

## TEHNIČKE KARAKTERISTIKE:

| TEHNIČKI<br>PODACI                | JEDINICA | WED-35C    | WED-45C    | WED-60C   | WED-80C   | WED-100C    | WED-120C    |
|-----------------------------------|----------|------------|------------|-----------|-----------|-------------|-------------|
| BUBANJ                            |          |            |            |           |           |             |             |
| Kapacitet<br>1:9 / 1:10           | kg       | 39/35      | 50/45      | 65/59     | 85/77     | 105/95      | 130/115     |
| Zapremina                         | l        | 350        | 450        | 590       | 770       | 950         | 1.150       |
| Prečnik                           | mm       | 860        | 860        | 1.048     | 1.048     | 1.360       | 1.360       |
| Dubina                            | mm       | 602        | 720        | 680       | 892       | 637         | 775         |
| OPŠTI PODACI                      |          |            |            |           |           |             |             |
| Brzina<br>pranja /<br>centrifuga  | r.p.m.   | 42,5/966   | 42,5/966   | 38/875    | 38/875    | 34/678      | 34/678      |
| G faktor                          | –        | 450        | 450        | 450       | 450       | 350         | 350         |
| Maksimalni<br>broj obrtaja        | KN       | 7,36 ±2,45 | 7,36 ±2,45 | 18 ±4,2   | 23 ±4,8   | 37,77 ±5,25 | 37,77 ±5,25 |
| Brzina<br>pranja                  | Hz       | 14,3       | 14,3       | 12,66     | 12,66     | 11,33       | 11,33       |
| Nivo buke                         | dB       | <70        | <70        | <70       | <70       | <70         | <70         |
| OPCIJA sa<br>mouslužna<br>verzija | –        | DA         | DA         | NE        | NE        | NE          | NE          |
| Dupli<br>odvod                    | –        | OPT        | OPT        | OPT       | OPT       | OPT         | OPT         |
| Sistem<br>vaganja /<br>naginjanja | –        | OPT/NE     | OPT/NE     | OPT/OPT   | OPT/OPT   | OPT/OPT     | OPT/OPT     |
| OPCIJA za<br>zatvaranje           | –        | NE         | NE         | NE        | NE        | NE          | NE          |
| VRATA                             |          |            |            |           |           |             |             |
| Visina<br>sredine<br>vrata        | mm       | 885/540    | 885/540    | 1.170/810 | 1.170/810 | 1.330/900   | 1.330/900   |
| Prečnik                           | mm       | 560        | 560        | 560       | 560       | 700         | 700         |

| SNAGA                            |                       |                |               |                |               |                |               |                |               |                |               |                |               |
|----------------------------------|-----------------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|
| Motor                            | kW                    | 6              | 6             | 15             | 15            | 15             | 15            | 15             | 15            | 15             | 15            | 15             | 15            |
| Grejanje                         | kW                    | 21             | 21            | 36             | 48/36         | -              | -             | -              | -             | -              | -             | -              | -             |
| Maksimalna snaga                 | kW                    | 22             | 22            | 39             | 51/39         | -              | -             | -              | -             | -              | -             | -              | -             |
| Maksimalna snaga (model na paru) | kW                    | 6              | 6             | 15             | 15            | 15             | 15            | 15             | 15            | 15             | 15            | 15             | 15            |
| POVEZIVANJE                      |                       | ELEKTRIČN<br>O | VRUĆA<br>VODA | ELEKTRIČN<br>O | VRUĆA<br>VODA | ELEKTRIČN<br>O | VRUĆA<br>VODA | ELEKTRIČN<br>O | VRUĆA<br>VODA | ELEKTRIČN<br>O | VRUĆA<br>VODA | ELEKTRIČN<br>O | VRUĆA<br>VODA |
| Napon 230 V-I+N+T                | N <sup>o</sup> xmm2/A | -              | -             | -              | -             | -              | -             | -              | -             | -              | -             | -              | -             |
| Napon 230V-III+T                 | N <sup>o</sup> xmm2/A | 3×16/63A       | 3×4/32A       | 3×16/63A       | 3x4/32A       | 3×25/100 A     | 3x10/50A      | 3×25/100 A     | 3x10/50A      | -              | 3x25/63A      | -              | 3x25/63A      |
| Napon 400 V-III+N+T              | N <sup>o</sup> xmm2/A | 4×6/40A        | 4x2,5/20A     | 4×6/40A        | 4×2,5/20A     | 4×16/63A       | 4x10/50A      | 4×25/80A       | 4x10/50A      | -              | 4×10/40A      | -              | 4×10/40A      |
| Ulaz za paru                     | Inch                  | 3/4"           | 3/4"          | 3/4"           | 3/4"          | 3/4"           | 3/4"          | 3/4"           | 3/4"          | 1-1/4"         | 1-1/4"        | 1-1/4"         | 1-1/4"        |
| Maksimalna potrošnja pare        | Kg/h                  | 18             | 18            | 21             | 25            | 26,5           | 26,5          | 26,5           | 26,5          | 26,5           | 26,5          | 26,5           | 26,5          |
| Dovod vode                       | Inch                  | 3,4"           | 3,4"          | 1"             | 1"            | 1-1/2"         | 1-1/2"        | 1-1/2"         | 1-1/2"        | 1-1/2"         | 1-1/2"        | 1-1/2"         | 1-1/2"        |
| Pritisak vode                    | Kgs/cm2               | 2/4            | 2/4           | 2/4            | 2/4           | 2/4            | 2/4           | 2/4            | 2/4           | 2/4            | 2/4           | 2/4            | 2/4           |
| Maksimalna potrošnja vode        | Lit/h                 | 261,3          | 335,9         | 598            | 781           | 1.058          | 1.254         | 1.058          | 1.254         | 1.058          | 1.254         | 1.058          | 1.254         |
| Odvod                            | Inch                  | 3"             | 3"            | 3"             | 3"            | 4"             | 4"            | 4"             | 4"            | 4"             | 4"            | 4"             | 4"            |
| Protok odvoda                    | Lit/m                 | 200            | 200           | 200            | 200           | 200            | 200           | 200            | 200           | 500            | 500           | 500            | 500           |
| DIMENZIJE / DIMENZIJE PAKOVANJA  |                       |                |               |                |               |                |               |                |               |                |               |                |               |
| Neto širina / Bruto širina       | mm                    | 1.095/1.165    | 1.095/1.165   | 1.420/1.600    | 1.420/1.600   | 1.420/1.600    | 1.420/1.600   | 1.420/1.600    | 1.420/1.600   | 1.836/1.900    | 1.836/1.900   | 1.836/1.900    | 1.836/1.900   |

|                            |    |             |             |             |             |             |             |
|----------------------------|----|-------------|-------------|-------------|-------------|-------------|-------------|
| Neto dubina / Bruto dubina | mm | 1.184/1.230 | 1.304/1.440 | 1.433/1.595 | 1.645/1.805 | 1.649/2.030 | 1.863/2.030 |
| Neto visina / Bruto visina | mm | 1.598/1.920 | 1.598/1.920 | 1.880/1.930 | 1.880/1.930 | 2.245/2.290 | 2.245/2.290 |
| Neto težina / Bruto težina | kg | 750/820     | 770/840     | 1.650/1.800 | 1.800/2.000 | 3.950/4.100 | 3.950/4.100 |
| Zapremina                  | m3 | 2,75        | 3,3         | 4,9         | 5,6         | 8,83        | 8,83        |